

# Representational Dimensions

CMPUT 366: Intelligent Systems

P&M Chapter 1

# Lecture Outline

1. Recap
2. Agents
3. Representations
4. Dimensions of representation

# Recap: Course Essentials

**Course information:** <https://eclass.srv.ualberta.ca/course/view.php?id=57991>

- This is the main source for information about the class
- Slides, readings, assignments, deadlines

**Labs:** Thursdays 5:00pm to 8:00pm (BS M 149, i.e., *this room*)

- tutorials + space/time to work on assignments + TA office hours
- **Bring your own laptop** with Python 3 installed (+ extra libraries; see eClass announcement)
- **No labs this week**

**eClass Discussion forum** for **public** questions about assignments, lecture material, etc.


**Email:** [james.wright@ualberta.ca](mailto:james.wright@ualberta.ca) for **private** questions

- (health problems, inquiries about grades)

**Office hours:** After lectures on Mondays & Fridays, or by appointment

# Recap: Agents

An **agent** is a system that **acts** in an **environment** to achieve **goals** or optimize **preferences**.




# Examples

Which of these things are **agents**?

- A rock
- A tree
- A bird
- A car
- A decision assistant (previously: "expert system")
- A self-driving car
- A child
- An adult

# Representations



- **Knowledge:** Information about a domain useful for **solving problems** in that domain
- To use knowledge, a computational agent needs to encode it into a set of data structures called a **representation**
- Representations are about the **environment:**
  - What kinds of **states** can the world be in? How should we denote them?
  - What kind of **information** do we get about the current and past states? How certain can our **beliefs** be?
  - **Dynamics:** How does the environment change based on our actions? Are the changes **deterministic**, or **stochastic**?

# Representations: Wishlist

What do we want from a representation?

- **Rich enough** to express all of the knowledge necessary for solving the task
- As **close to the problem** as possible: Compact, natural, maintainable, transparent
- **Tractable**: Amenable to efficient computation
- **Learnable**: Should be able to acquire new knowledge from data, past experiences, people
- Able to **trade off** accuracy and computation time

# Primary Dimensions

We will classify domains by three main dimensions:

1. **Uncertainty:** deterministic vs. stochastic settings
2. **Interaction:** Online vs. offline interaction
3. **Number of agents:** Single vs. multiple agents



# 1. Uncertainty

Multiple aspects of an environment may be **deterministic** (no randomness) or **stochastic** (some randomness)


## 1. Observations and state ("sensing uncertainty")

- **Fully observable**: observations directly determine **state**
- **Partially observable**: **many** possible states for same observations; or observations are **misleading**

## 2. Dynamics ("effect uncertainty")

- **Deterministic dynamics**: state completely determined by action and prior state
- **Stochastic dynamics**: probability distribution over possible states from an action

# 2. Interaction



**When** does the agent decide what to do?

- **Offline:** Agent determines what to do **before** interacting with the environment
- **Online:** Agent determines what to do **while** interacting with the environment
  - Often more computationally demanding
  - Requires timely answers

# 3. Number of Agents

Does the agent (need to) explicitly consider other agents?

- **Single agent:**
  - No other agents in the environment, or
  - Behaviour of other agents is fixed (part of **nature**)
- **Multiple Agents:**
  - Other agents in the environment, with **distinct** goals/preferences
  - Must **reason** about other agent's behaviour **and reasoning**
  - **Other agents' actions** affect agents goals/preferences, **and vice versa**

# Other Dimensions

- Static vs. sequential action
- Goals vs. complex preferences
- Episodic vs. continuing
- State representation scheme
- Perfect vs. bounded rationality

Different dimensions **interact**; you can't just set them arbitrarily

# Static vs. Sequential Action

**How many actions** does the agent need to select?

- **Static:** the agent selects a **single** action
  - Classify an image
  - Diagnose a disease based on symptoms
  - Recommend a driving route
- **Sequential:** the agent needs to take a **sequence** of actions
  - Participate in an automated negotiation
  - Choose a series of tests to diagnose a patient
  - Navigate through an environment
- In a **deterministic** setting, this can be an arbitrary distinction

# Goals vs. Preferences

How complicated a goal is the agent trying to achieve?

- **Goal:** A simple desired condition
  - **Maintenance goal:** Keep some already-true condition true in **all visited states**
  - **Achievement goal:** Condition should be true in **final state**
  - E.g.: Robot trying to deliver banana to Sam without hurting anyone or making a mess
- **Preferences:** Varying desirability of different outcomes, trade-offs
  - **Ordinal preferences:** Only the **ordering** of outcomes is important
  - **Cardinal preferences:** **Magnitude** of preference also matters

# Knowledge Given vs. Knowledge Learned

How much does the agent know about the world in advance?


- The agent **has a model** of the world **before** it acts
- The agent must **learn** how the world works
  - from **data**
  - from **experience**
  - often still starts with *some* **prior knowledge**



# State Representation

How does the agent describe the world?

- **Enumerate** every possible state of the world
  - *Question:* How would you do this in **pathfinding**?
  - *Question:* How would you do this in **chess**?
- Factor each state into **features**
  - May or may not be **observable**
  - 20 binary features can represent over a million states
  - *Question:* **Pathfinding** features?
  - *Question:* **Chess** features?
- **Relationships** and **objects**



<https://www.growingwiththeweb.com/2012/06/a-pathfinding-algorithm.html>



# Episodic vs. Continuing

Is the task ever **done**?

- **Episodic:** The agent eventually reaches a **final state**
- **Continuing:** The agent keeps acting **forever**
- Especially crucial distinction in reinforcement learning

Related: **Planning horizon**

*Question:* How would you classify

1. Pathfinding?
2. Chess?
3. Automated financial trading?

# Perfect Rationality vs. Bounded Rationality

Is it feasible for the agent to achieve the **ideal optimum**, or must it trade off **solution quality** against **computational cost**?


- **Perfect rationality:** The agent can derive the best course of action without accounting for **computational limitations**.
- **Bounded rationality:** Agent decides on best action that **it can find** within its computational limitations
- **Anytime algorithm:** Solution quality improves with time

# Dimensions

- Static vs. sequential action
  - Goals vs. complex preferences
  - Episodic vs. continuing
  - State representation scheme
  - Perfect vs. bounded rationality
1. Uncertainty
  2. Interaction
  3. Number of agents

Different dimensions **interact**; you can't just set them arbitrarily

# Course Topics Breakdown



# Summary

- Formal **representation** of an environment is essential for building agents
  - Many representations are possible for the same environment
  - Different representations are useful for different solutions
- We can usefully classify environments and representations according to a number of **dimensions**
  - Different properties call for different AI techniques