

Optimality and Dynamic Programming

CMPUT 366: Intelligent Systems

S&B §3.6, §4.0-4.4

Lecture Outline

1. Assignment #3
2. Recap
3. Optimality
4. Policy Evaluation
5. Policy Improvement

Assignment #3

- Assignment #3 is due **Mar 29 (next Monday)** at 11:59pm
- Reminder that TAs are available during office hours 5 days/week to help
- `mlp1` and `cnn` need to **train** and **evaluate** the specified models
 - **train:** fit parameters using provided training dataset
 - **evaluate:** compute loss on **both** provided test datasets

Recap: Value Functions

State-value function

$$\begin{aligned} v_{\pi}(s) &\doteq \mathbb{E}_{\pi}[G_t | S_t = s] \\ &= \mathbb{E}_{\pi} \left[\sum_{k=0}^{\infty} \gamma^k R_{t+k+1} \mid S_t = s \right] \end{aligned}$$

Action-value function

$$\begin{aligned} q_{\pi}(s, a) &\doteq \mathbb{E}_{\pi}[G_t | S_t = s, A_t = a] \\ &= \mathbb{E}_{\pi} \left[\sum_{k=0}^{\infty} \gamma^k R_{t+k+1} \mid S_t = s, A_t = a \right] \end{aligned}$$


Recap: Bellman Equations

Value functions satisfy a **recursive consistency condition** called the **Bellman equation**:

$$\begin{aligned} v_{\pi}(s) &\doteq \mathbb{E}_{\pi}[G_t | S_t = s] \\ &= \mathbb{E}_{\pi}[R_{t+1} + \gamma G_{t+1} | S_t = s] \\ &= \sum_a \pi(a | s) \sum_{s'} \sum_r p(s', r | s, a) [r + \gamma \mathbb{E}_{\pi}[G_{t+1} | S_{t+1} = s']] \\ &= \sum_a \pi(a | s) \sum_{s', r} p(s', r | s, a) [r + \gamma v_{\pi}(s')] \end{aligned}$$

- v_{π} is the **unique solution** to π 's (state-value) Bellman equation
- There is also a Bellman equation for π 's **action-value function**

Recap: GridWorld Example




Reward dynamics

3.3	8.8	4.4	5.3	1.5
1.5	3.0	2.3	1.9	0.5
0.1	0.7	0.7	0.4	-0.4
-1.0	-0.4	-0.4	-0.6	-1.2
-1.9	-1.3	-1.2	-1.4	-2.0

State-value function v_π for
random policy
 $\pi(a \mid s) = 0.25$

GridWorld with Bounds Checking

What about a policy where we never try to go over an edge?



Reward dynamics

3.3	8.8	4.4	5.3	1.5
1.5	3.0	2.3	1.9	0.5
0.1	0.7	0.7	0.4	-0.4
-1.0	-0.4	-0.4	-0.6	-1.2
-1.9	-1.3	-1.2	-1.4	-2.0

State-value function v_{π} for
random policy
 $\pi(a | s) = 0.25$

6.7	10.8	6.4	6.7	4.3
4.2	4.7	3.7	3.4	2.8
2.4	2.4	2.1	1.9	1.7
1.5	1.4	1.3	1.2	1.1
1.1	1.0	0.9	0.9	0.9

State-value function v_{π^B} for
bounded random policy π^B

Optimality

- **Question:** What is an **optimal** policy?
- A policy π is (weakly) **better** than a policy π' if it is better for all $s \in \mathcal{S}$:

$$\pi \geq \pi' \iff v_{\pi}(s) \geq v_{\pi'}(s) \quad \forall s \in \mathcal{S}.$$

- An **optimal** policy π_* is weakly better than **every other policy**
- All optimal policies share the **same state-value function**: (**why?**)

$$v_*(s) \doteq \max_{\pi} v_{\pi}(s)$$

- Also the same **action-value function**:

$$q_*(s, a) \doteq \max_{\pi} q_{\pi}(s, a)$$


Bellman Optimality Equations

- v_* must satisfy the Bellman equation too
- In fact, it can be written in a special, **policy-free** way because we know that every state value is **maximized** by π_* :


$$\begin{aligned} v_*(s) &= \max_a q_{\pi_*}(s, a) \\ &= \max_a \mathbb{E}_{\pi_*}[G_t \mid S_t = s, A_t = a] \\ &= \max_a \mathbb{E}_{\pi_*}[R_{t+1} + \gamma G_{t+1} \mid S_t = s, A_t = a] \\ &= \max_a \mathbb{E}[R_{t+1} + \gamma v_*(S_{t+1}) \mid S_t = s, A_t = a] \\ &= \max_a \sum_{s', r} p(s', r \mid s, a)[r + \gamma v_*(s')] \end{aligned}$$

Bellman Optimality Equations


$$\begin{aligned}
 v_*(s) &= \max_a \mathbb{E}[R_{t+1} + \gamma v_*(S_{t+1}) | S_t = s, A_t = a] \\
 &= \max_a \sum_{s', r} p(s', r | s, a) [r + \gamma v_*(s')]
 \end{aligned}$$



$$\begin{aligned}
 q_*(s, a) &= \mathbb{E} \left[R_{t+1} + \gamma \max_{a'} q_*(S_{t+1}, a') \mid S_t = s, A_t = a \right] \\
 &= \sum_{s', r} p(s', r | s, a) \left[r + \gamma \max_{a'} q_*(s', a') \right]
 \end{aligned}$$




Optimal GridWorld



Gridworld

22.0	24.4	22.0	19.4	17.5
19.8	22.0	19.8	17.8	16.0
17.8	19.8	17.8	16.0	14.4
16.0	17.8	16.0	14.4	13.0
14.4	16.0	14.4	13.0	11.7

v_*



π_*

Policy Evaluation

Question: How can we **compute** v_π ?

1. We know that v_π is the unique solution to the Bellman equations, so we could just **solve them**
 - but that is tedious and annoying and slow
 - Also requires a complete model of the dynamics
2. **Iterative policy evaluation**
 - Takes advantage of the recursive formulation

Iterative Policy Evaluation

- Iterative policy evaluation uses the Bellman equation as an **update rule**:

$$\begin{aligned} v_{k+1}(s) &\doteq \mathbb{E}_{\pi}[R_{t+1} + \gamma v_k(S_{t+1} | S_t = s)] \\ &= \sum_a \pi(a | s) \sum_{s', r} p(s', r | s, a) [r + \gamma v_k(s')] \end{aligned}$$

- v_{π} is a **fixed point** of this update, by definition
- Furthermore, starting from an **arbitrary** v_0 , the sequence $\{v_k\}$ will **converge** to v_{π} as $k \rightarrow \infty$

In-Place Iterative Policy Evaluation

Iterative Policy Evaluation, for estimating $V \approx v_\pi$

Input π , the policy to be evaluated

Algorithm parameter: a small threshold $\theta > 0$ determining accuracy of estimation

Initialize $V(s)$, for all $s \in \mathcal{S}^+$, arbitrarily except that $V(\text{terminal}) = 0$

Loop:

$\Delta \leftarrow 0$

Loop for each $s \in \mathcal{S}$:

$v \leftarrow V(s)$


$V(s) \leftarrow \sum_a \pi(a|s) \sum_{s',r} p(s',r|s,a) [r + \gamma V(s')]$

$\Delta \leftarrow \max(\Delta, |v - V(s)|)$

until $\Delta < \theta$

- The updates are **in-place**: we use new values for $V(s)$ **immediately** instead of waiting for the current sweep to complete (**why?**)
- These are **expected updates**: Based on a weighted average (expectation) of **all possible next states** (**instead of what?**)

Iterative Policy Evaluation




Reward dynamics

0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0	0.0

V at $k = 0$

Iterative Policy Evaluation in GridWorld




Reward dynamics

-0.5	10	2	5	0.6
-0.3	2.1	0.9	1.3	0.2
-0.3	0.4	0.3	0.4	-0.1
-0.3	0.0	0.0	0.1	-0.2
-0.5	-0.3	-0.3	-0.3	-0.6

V at $k = 1$

Iterative Policy Evaluation in GridWorld




Reward dynamics

1.4	9.7	3.7	5.3	1.0
0.4	2.5	1.8	1.7	0.4
-0.2	0.6	0.6	0.5	-0.1
-0.5	0.0	0.0	0.0	-0.5
-1.0	-0.6	-0.5	-0.5	-1.0

V at $k = 2$

Iterative Policy Evaluation in GridWorld



Reward dynamics

3.4	8.9	4.5	5.3	1.5
1.6	3.0	2.3	1.9	0.6
0.1	0.8	0.7	0.4	-0.4
-1.0	-0.4	-0.3	-0.6	-1.2
-1.9	-1.3	-1.2	-1.4	-2.0

V at $k = 10\,000$

Policy Improvement Theorem

Theorem:

Let π and π' be any pair of deterministic policies.

If $q_{\pi}(s, \pi'(s)) \geq v_{\pi}(s) \quad \forall s \in \mathcal{S}$,

then $v_{\pi'}(s) \geq v_{\pi}(s) \quad \forall s \in \mathcal{S}$.

If you are never worse off **at any state** by following π' for **one step** and then following π forever after, then following π' **forever** has a higher expected value **at every state**.

Policy Improvement Theorem Proof

$$\begin{aligned} v_{\pi}(s) &\leq q_{\pi}(s, \pi'(s)) \\ &= \mathbb{E}[R_{t+1} + \gamma v_{\pi}(S_{t+1}) \mid S_t = s, A_t = \pi'(s)] \\ &= \mathbb{E}_{\pi'}[R_{t+1} + \gamma v_{\pi}(S_{t+1}) \mid S_t = s] \\ &\leq \mathbb{E}_{\pi'}[R_{t+1} + \gamma q_{\pi}(S_{t+1}, \pi'(S_{t+1})) \mid S_t = s] \\ &= \mathbb{E}_{\pi'}[R_{t+1} + \gamma \mathbb{E}_{\pi'}[R_{t+2} + \gamma v_{\pi}(S_{t+2}) \mid S_{t+1}, A_{t+1} = \pi'(S_{t+1})] \mid S_t = s] \\ &= \mathbb{E}_{\pi'}[R_{t+1} + \gamma R_{t+2} + \gamma^2 v_{\pi}(S_{t+2}) \mid S_t = s] \\ &\leq \mathbb{E}_{\pi'}[R_{t+1} + \gamma R_{t+2} + \gamma^2 R_{t+3} + \gamma^3 v_{\pi}(S_{t+3}) \mid S_t = s] \\ &\vdots \\ &\leq \mathbb{E}_{\pi'}[R_{t+1} + \gamma R_{t+2} + \gamma^2 R_{t+3} + \gamma^3 R_{t+4} + \cdots \mid S_t = s] \\ &= v_{\pi'}(s). \end{aligned}$$

Greedy Policy Improvement

Given any policy π , we can construct a new greedy policy π' that is guaranteed to be **at least as good**:

$$\begin{aligned}\pi'(s) &\doteq \arg \max_a q_\pi(s, a) \\ &= \arg \max_a \mathbb{E}[R_{t+1} + \gamma v_\pi(S_{T+1}) \mid S_t = s, A_t = a] \\ &= \arg \max_a \sum_{s', r} p(s', r \mid s, a) [r + \gamma v_\pi(s')] .\end{aligned}$$

- If this new policy is **not better** than the old policy, then $v_\pi(s) = v_{\pi'}(s)$ for all $s \in \mathcal{S}$ (**why?**)
- Also means that the new (and old) policies are **optimal** (**why?**)

Policy Iteration

$$\pi_0 \xrightarrow{\text{E}} v_{\pi_0} \xrightarrow{\text{I}} \pi_1 \xrightarrow{\text{E}} v_{\pi_1} \xrightarrow{\text{I}} \pi_2 \xrightarrow{\text{E}} \cdots \xrightarrow{\text{I}} \pi_* \xrightarrow{\text{E}} v_*$$

Policy Iteration (using iterative policy evaluation) for estimating $\pi \approx \pi_*$

1. Initialization

$V(s) \in \mathbb{R}$ and $\pi(s) \in \mathcal{A}(s)$ arbitrarily for all $s \in \mathcal{S}$

2. Policy Evaluation

Loop:

$\Delta \leftarrow 0$

Loop for each $s \in \mathcal{S}$:

$v \leftarrow V(s)$

$V(s) \leftarrow \sum_{s',r} p(s',r|s,\pi(s)) [r + \gamma V(s')]$

$\Delta \leftarrow \max(\Delta, |v - V(s)|)$

until $\Delta < \theta$ (a small positive number determining the accuracy of estimation)

3. Policy Improvement

$policy-stable \leftarrow true$

For each $s \in \mathcal{S}$:

$old-action \leftarrow \pi(s)$

$\pi(s) \leftarrow \operatorname{argmax}_a \sum_{s',r} p(s',r|s,a) [r + \gamma V(s')]$

If $old-action \neq \pi(s)$, then $policy-stable \leftarrow false$

If $policy-stable$, then stop and return $V \approx v_*$ and $\pi \approx \pi_*$; else go to 2

This is a lot of iterations!
Is it necessary to run to completion?

Value Iteration

Value iteration interleaves the estimation and improvement steps:

$$\begin{aligned} v_{k+1}(s) &\doteq \max_a \mathbb{E} [R_{t+1} + \gamma v_k(S_{t+1}) \mid S_t = s, A_t = a] \\ &= \max_a \sum_{s', r} p(s', r \mid s, a) [r + \gamma v_k(s')] \end{aligned}$$

Value Iteration, for estimating $\pi \approx \pi_*$

Algorithm parameter: a small threshold $\theta > 0$ determining accuracy of estimation
Initialize $V(s)$, for all $s \in \mathcal{S}^+$, arbitrarily except that $V(\text{terminal}) = 0$

Loop:

```
|  $\Delta \leftarrow 0$   
| Loop for each  $s \in \mathcal{S}$ :  
|    $v \leftarrow V(s)$   
|    $V(s) \leftarrow \max_a \sum_{s', r} p(s', r \mid s, a) [r + \gamma V(s')]$   
|    $\Delta \leftarrow \max(\Delta, |v - V(s)|)$   
until  $\Delta < \theta$ 
```

Output a deterministic policy, $\pi \approx \pi_*$, such that

$$\pi(s) = \operatorname{argmax}_a \sum_{s', r} p(s', r \mid s, a) [r + \gamma V(s')]$$

Summary

- An **optimal policy** has higher state value than any other policy **at every state**
- A policy's state-value function can be computed by **iterating** an **expected update** based on the Bellman equation
- Given any policy π , we can compute a **greedy improvement** π' by choosing highest expected value action based on v_π
- **Policy iteration:** Repeat:
Greedy improvement using v_π , then recompute v_π
- **Value iteration:** Repeat:
Recompute v_π by assuming greedy improvement at every update