

Linear Models

CMPUT 261: Introduction to Artificial Intelligence

P&M §7.3

Assignment #2

Assignment #2 is due **Tue Oct 21/2025** (one week from today) at **11:59pm**

- Submissions past the deadline will have late penalty applied
- Leave yourself some margin for error when submitting!

Midterm is October 23/2025

Recap: Supervised Learning

Definition: A **supervised learning task** consists of

- A set of **input features** $X_1, \dots, X_n$
- A set of **target features** $Y_1, \dots, Y_k$
- A set of **training examples**, for which both input and target features are given
- A set of **test examples**, for which only the input features are given

The goal is to **predict** the values of the **target features** given the **input features**; i.e., **learn** a function $h(x)$ that will map features X to a prediction of Y

- We want to predict **new, unseen data** well; this is called **generalization**
- Can **estimate generalization** performance by reserving separate **test examples**

Recap: Loss Functions

- A **loss function** gives a quantitative measure of a hypothesis's performance
- There are many commonly-used loss functions, each with its own properties

Loss	Definition
0/1 error	$\sum_{i=1}^n 1 [y^{(i)} \neq h(\mathbf{x}^{(i)})]$
absolute error	$\sum_{i=1}^n y^{(i)} - h(\mathbf{x}^{(i)}) $
squared error	$\sum_{i=1}^n (y^{(i)} - h(\mathbf{x}^{(i)}))^2$
worst case	$\max_{1 \leq i \leq n} y^{(i)} - h(\mathbf{x}^{(i)}) $
likelihood	$\Pr(S h) = \prod_{(\mathbf{x}, y) \in S} h(\mathbf{x})_y$
log-likelihood	$\log \Pr(S h) = \sum_{(\mathbf{x}, y) \in S} \log h(\mathbf{x})_y$

Recap: Loss Functions

- A **loss function** gives a quantitative measure of a hypothesis's performance
- There are many commonly-used loss functions, each with its own properties

Loss	Definition
0/1 error	$\sum_{i=1}^n 1 [y^{(i)} \neq h(\mathbf{x}^{(i)})]$
absolute error	$\sum_{i=1}^n y^{(i)} - h(\mathbf{x}^{(i)}) $
squared error	$\sum_{i=1}^n (y^{(i)} - h(\mathbf{x}^{(i)}))^2$
worst case	$\max_{1 \leq i \leq n} y^{(i)} - h(\mathbf{x}^{(i)}) $
likelihood	$\Pr(S h) = \prod_{(\mathbf{x}, y) \in S} h(\mathbf{x})_y$
log-likelihood	$\log \Pr(S h) = \sum_{(\mathbf{x}, y) \in S} \log h(\mathbf{x})_y$

Lecture Outline

1. Recap & Logistics
2. Trivial Predictors
3. Linear Regression
4. Linear Classification

After this lecture, you should be able to:

- specify and/or implement linear regression, linear classification, logistic regression
- explain the benefits of different approaches to learning linear models

Trivial Predictors

- The simplest possible predictor **ignores all input features** and just predicts the **same value** v for any example
- **Question:** Why would we every want to think about these?

Optimal Trivial Predictors for Binary Data

- Suppose we are predicting a **binary** target
- n_0 **negative** examples
- n_1 **positive** examples
- **Question:** What is the optimal single prediction?

Measure	Optimal Prediction
0/1 error	0 if $n_0 > n_1$ else 1
absolute error	0 if $n_0 > n_1$ else 1
squared error	$\frac{n_1}{n_0 + n_1}$
worst case	$\begin{cases} 0 & \text{if } n_1 = 0 \\ 1 & \text{if } n_0 = 0 \\ 0.5 & \text{otherwise} \end{cases}$
likelihood	$\frac{n_1}{n_0 + n_1}$
log-likelihood	$\frac{n_1}{n_0 + n_1}$

Optimal Trivial Predictor Derivations

0/1 error

0 if $n_0 > n_1$ else 1

(negative)
log-likelihood

$$\frac{n_1}{n_0 + n_1}$$

$$L(v) = vn_0 + (1 - v)n_1$$

$$\begin{aligned} L(v) &= -\log \Pr(S \mid v) \\ &= -n_1 \log v - n_0 \log(1 - v) \end{aligned}$$

$$\frac{d}{dv} L(v) = 0$$

$$0 = -\frac{n_1}{v} + \frac{n_0}{1 - v}$$

$$\frac{n_1}{v} = \frac{n_0}{1 - v}$$

$$\frac{n_1}{n_0} = \frac{v}{1 - v} \wedge (0 < v < 1) \implies v = \frac{n_1}{n_0 + n_1}$$

$$\frac{d}{dz} \log z = \frac{1}{z}$$

$$\frac{d}{dz} \log(1 - z) = -\frac{1}{1 - z}$$

Linear Regression

- Linear regression is the problem of fitting a **linear function** to a set of training examples
 - Both input and target features must be **numeric**
- **Linear function** of the input features:

$$h(\mathbf{x}; \mathbf{w}) = w_0 + w_1x_1 + \dots + w_dx_d$$

$$= \sum_{j=0}^d w_jx_j$$

For convenience, we often add a special "constant feature" $x_0 = 1$ for all examples

Ordinary Least-Squares

For the squared error loss, it is possible to find the optimal predictor for a dataset **analytically**:

$$1. \quad L(\mathbf{w}) = \sum_{i=1}^n \left(y^{(i)} - h(\mathbf{x}^{(i)}; \mathbf{w}^{(i)}) \right)^2 = \sum_{i=1}^n \left(y^{(i)} - \sum_{j=0}^d w_j^{(i)} x_j^{(i)} \right)^2$$

$$2. \quad \text{Recall that } \nabla L(\mathbf{w}^*) = 0 \text{ for } \mathbf{w}^* \in \arg \min_{\mathbf{w} \in \mathbb{R}^{d+1}} L(\mathbf{w})$$

3. Derive an expression for $\nabla L(\mathbf{w}^*)$ and solve for 0


- For d input features, solve a system of $d + 1$ equations
- Requires inverting a $(d + 1) \times (d + 1)$ matrix $O(d^3)$
- Constructing the matrix requires adding n matrices (one for each example) $O(nd^2)$
- Total cost: $O(nd^2 + d^3)$

Gradient Descent

- The analytic solution is tractable for **small** datasets with **few** input features
 - ImageNet has about **14 million images** with $256 \times 256 = 65,536$ input features
- For others, we use **gradient descent**
 - Gradient descent is an iterative method to find the minimum of a function.
 - For **minimizing error**:

$$w_j^{(t+1)} \leftarrow w_j^{(t)} - \eta \frac{\partial}{\partial w_j^{(t)}} \text{error}(S, \mathbf{w}^{(t)})$$

Recap: Gradient Descent



- The gradient of a function tells how to change every element of a vector to **increase** the function
 - If the partial derivative of x_i is positive, increase x_i
- **Gradient descent:**
Iteratively choose new values of $\mathbf{x}$ in the (opposite) direction of the gradient:

$$\mathbf{x}^{new} = \mathbf{x}^{old} - \eta \nabla f(\mathbf{x}^{old}) .$$

- This only works for **sufficiently small** changes (**why?**)
- **Question:** How much should we change $\mathbf{x}^{old}$? learning rate

Gradient Descent Variations

- **Incremental gradient descent:** update each weight after **each example** in turn

$$\forall 1 \leq i \leq n : w_j^{(t+1)} \leftarrow w_j^{(t)} - \eta \frac{\partial}{\partial w_j^{(t)}} \text{error} \left(\{(\mathbf{x}^{(i)}, y^{(i)})\}, w^{(t)} \right)$$

- **Batched gradient descent:** update each weight based on a **batch** of examples

$$\forall S_i : w_j^{(t+1)} \leftarrow w_j^{(t)} - \eta \frac{\partial}{\partial w_j^{(t)}} \text{error} \left(S_i, w^{(t)} \right)$$

- **Stochastic gradient descent:** update repeatedly on **random** examples:

$$i \sim U(\{1, \dots, n\}) : w_j^{(t+1)} \leftarrow w_j^{(t)} - \eta \frac{\partial}{\partial w_j^{(t)}} \text{error} \left(\{(\mathbf{x}^{(i)}, y^{(i)})\}, \mathbf{w}^{(t)} \right)$$

Question

Why would we ever use any of these?


Linear Classification

- For **binary** targets, we can use linear regression to do classification
- Represent binary classes by $\{-1, +1\}$
- If regression target is negative, predict -1 , else predict $+1$

$$h(\mathbf{x}; \mathbf{w}) = \text{sgn} \left(\sum_{j=0}^d w_j x_j \right)$$

sgn returns +1 for positive arguments and -1 for negative arguments

- The line defined by $\sum_{j=0}^d w_j x_j = 0$ is called the **decision boundary**



Probabilistic Linear Classification

- For **binary targets** represented by $\{0,1\}$ or **numeric input** features, we can use linear function to estimate the **probability** of the class
- **Issue:** we need to constrain the output to lie within $[0,1]$
- Instead of outputting results of the function directly, send it through an **activation function** $f: \mathbb{R} \rightarrow [0,1]$ instead:

$$h(\mathbf{x}; \mathbf{w}) = f\left(\sum_{j=0}^d w_j x_j\right)$$


Logistic Regression

- A very commonly used activation function is the **logistic** function:

$$s(t) = \frac{1}{1 + e^{-t}}$$

- Linear classification with a logistic activation function is often referred to as **logistic regression**:

$$h(\mathbf{x}; \mathbf{w}) = s \left(\sum_{j=0}^d w_j x_j \right)$$



The graph for the sigmoid function; the x-axis plots t from -5 to 5, and the y-axis plots the sigmoid function with a range within 0 to 1.

Question: What is the **decision boundary** in logistic regression?

Non-Binary Target Features

What if the target feature has $k > 2$ values?

1. Use k **indicator** variables
2. Learn each indicator variable **separately**
3. **Normalize** the predictions:

$$h_{\ell}(\mathbf{x}; \mathbf{w}) = \frac{\exp \left(\sum_{j=0}^d w_{\ell,j} x_j \right)}{\sum_{p=1}^k \exp \left(\sum_{j=0}^d w_{p,j} x_j \right)}$$

Summary

- **Linear regression** is a simple model for predicting real quantities
- **Linear classification** can be built from linear regression
 - Based on **sign** of prediction ("discriminative"), or
 - Using **logistic regression** ("probabilistic")
 - For **non-binary target features**, can normalize probabilistic predictions for individual classes
- **Gradient descent** is a general, widely-used training procedure (with several variants)
 - Linear models can be optimized in **closed form** for certain losses
 - In practice often optimized with gradient descent